

ENVIRONMENTAL STATEMENT

The environmental statement of **EversFrank**.

2025





Dear Readers,

Environmental protection remains our priority.

We act sustainably and minimize the impact of our printing company on the environment.

With initial afforestation areas in our home state of Schleswig-Holstein, we have been able to make further contributions to climate protection. This creates new habitats and increases biodiversity.

For more than 25 years, we have been validated with the EMAS environmental management system. In addition, we are certified according to the energy management standard DIN EN ISO 50001.

The FSC® and PEFC certifications for sustainable forestry were

successfully renewed in early 2025. The Blue Angel UZ195 environmental label until 2027 and the EU Ecolabel until 2028 are certified and confirmed annually.

Both of our production sites are certified for Nordic Swan. This label is important in the Scandinavian market, which has gained significance for us through the merger with Danish Stibo Complete.

All these environmental management systems and certifications ensure low-emission and environmentally friendly production of our printed products.

With our EversFrank environmental policy and the identified and assessed environmental aspects, we improve efficiency and environmental performance in the long term.

This environmental statement provides you with comprehensive information about our activities in the environmental field – from energy consumption to water use and emissions to waste management.

We appreciate your interest and wish you an enjoyable read.

Yours,

A handwritten signature in blue ink, appearing to read "Philipp Lerchner".

Philipp Lerchner

CONTENT

02 Editorial.
04 Who we are and what we do.
06 EMAS Organizational Chart.
07 Our two EMAS-certified locations.
08 Changes and activities.
09 Our environmental policy.
10 EMAS Life Cycle Assessment.
14 Environmental aspects.
18 Interested parties and their expectations.
20 Our environmental team.
21 Our environmental goals.
27 Ecological operational balances.
33 Long-term environmental performance.
38 Approval basis.
39 Environmental and validity statement and imprint.



PRINTING COMPANY

SINCE 1911.

Over more than a century, the small print shop has become a modern, internationally operating company that has continuously expanded its range of services and products. Today, we operate at two sites and provide modern and effective printed products – from catalogues and magazines, through to phone books, leaflets and mail-outs. As a result, sustainability has become a particular focus for our work so that we can keep doing what we love in the future: Inspiring people with printed products.



Digital prepress

refers to the process of preparing print data for printing. Digital files are checked, prepared and optimized for printing. Digital pre-press enables an accurate control of the final result and a fast editing of the print data.



Printing plate production

is a further step in the prepress process. This is where the digital print data is transferred to special printing plates. These printing plates are coated with a light-sensitive layer that captures the print images by exposing them to UV light or laser beams. After exposure, the unexposed areas are removed so that only the printed images remain on the plates.



Sheet-fed offset

In sheet-fed offset printing, the paper is processed in sheets, i.e. not as a roll. This printing process is particularly useful for small and medium-sized print runs. The ink is dried through exposure to oxygen, i.e. by evaporating the solvent in the ink. The printed products can be processed further through coating, protective varnishing, die cutting and perforation.



Processing

These production steps are taken in processing after printing: cutting, folding, stitching, binding and applying gimmicks. After that comes packaging into boxes, foil packages or stacking.



Web offset (heatset)

The paper webs running from the rolls are printed on both sides, dried with hot air and finished or folded into (partially) ready-made products. Our various production lines offer ideal conditions for optimal utilisation of the surface of the paper and an accordingly economical production.



Lettershop

Addressing and printing postal logistics codes using digital printing, inkjet, laser or Cheshire labelling are done in the lettershop. We provide delivery to the distribution service at the lowest available postage rates, international individual shipping and postage optimisation for the target region, sealing and single packaging in foil, envelopes or wallets.



Logistics / shipping

All the materials movements and the packaging of the supplied products is coordinated and supervised in the logistics department. Internal logistics with decentralised buffer zones for input and output prevents unnecessary transport routes.



Workshop, plant and system technology

This is our internal service area for the maintenance and repair of electronics and mechanical systems. It is also responsible for building services.

EMAS -


ORGANIZATIONAL CHART.

The administrative structure that supports environmental management.

EVERSFRANK

Evers & Evers GmbH & Co. KG

CEO: Philipp Lerchner | UMSB: Hauke Klinck | Compliance: Philipp Lerchner



OSS: Occupational safety specialist, SA: Safety administrator
Status as of April 30, 2025



Meldorf



Preetz

<p>Companies:</p> <ul style="list-style-type: none"> • Evers & Evers GmbH & Co KG: 26 Employees • Evers-Druck GmbH: 209 Employees 	<p>Companies:</p> <ul style="list-style-type: none"> • Evers & Evers GmbH & Co KG: 12 Employees • Frank Druck GmbH & Co. KG: 116 Employees • MAIL Weiterverarbeitung GmbH: 69 Employees
<p>Address: Ernst-Günter-Albers-Str.13 25704 Meldorf</p>	<p>Address: Industriestraße 20 24211 Preetz (Holstein)</p>
<p>Management: Philipp Lerchner</p>	<p>Management: Philipp Lerchner</p>
<p>Founded: 1911 by Julius Evers.</p>	<p>Founded: 1957 by Adolf Frank. Part of the EversFrank since 1993.</p>
<p>Company site: Approx. 48,650 m², of which approx. 24,970 m² is covered with production halls, the largest part is designated as an industrial estate. Two supermarkets in the immediate vicinity (south) and a building materials store (west), designated as a mixed-use area with adjacent residential buildings. North-western border: receiving waters of the river Miele, flows into the North Sea via a reservoir. No water protection area. Parts of the property with suspected contamination.</p>	<p>Company site: 105,500 m², of which approx. 33,300 m² is covered with production and administration buildings as part of a facility in an industrial estate. Former farmland. No water protection area and free of pollution in accordance with land registry office. Neighbouring companies: predominantly mid-sized companies.</p>
<p>Manufacturing processes & production steps</p> <ul style="list-style-type: none"> • Prepress/printing plate preparation • Sheet-fed offset printing: 1 machines • Heatset web offset: 3 machines for 40 to 80 pages DIN A4 • Processing: 2 conventional and 2 high-performance stitching systems, various in-line production lines, cutting and folding machines • Lettershop/personalisation • Logistics • Plant and system technology 	<p>Manufacturing processes & production steps:</p> <ul style="list-style-type: none"> • Prepress/printing plate preparation • Heatset web offset: 4 machines for 16 to 80 pages DIN A4 • Processing: 1 high-performance binding machine, 2 conventional and 2 high-performance stitching systems, various in-line production lines, cutting and folding machines • Lettershop/personalisation, gimmick processing on multiple production lines • Logistics • Plant and system technology

OUR ECO-LABELS.



FISCAL YEARS / REPORTING PERIOD

up to FY 22/23	July 1 to June 30 (Standard 12 months)
FY 23/24	July 1 to April 30 (10 months transitional fiscal year/merger)
from FY 24/25 and following	May 1 to April 30 (Standard 12 months)

CHANGES AND ACTIVITIES.

Every change is an opportunity.



In the area of heatset rotary printing machines, the 16-page Rotoman H including heatset dryer and rotary cutting system, ventilation ducts, cooling tower, and ink supply was decommissioned as well as dismantled and removed. The waste quantities according to AVV code were only recorded in May 2025, in the new fiscal year 25/26. This includes over 200 tons of scrap metal that will be listed in the environmental balance 25/26.

By concentrating on the large efficient printing machines, there is a natural gas effi-

ciency improvement of approximately 11%. Furthermore, production times and shift models were adjusted. The efficient 80-page printing machine now operates in 4-shift operation. This will result in a further improvement of the energy indicator natural gas by 10%.

Fiscal year 24/25 was affected by defective heat exchangers with very long delivery times and installation times during the winter months, which negatively impacted the energy indicator through natural gas quantities. The electricity efficiency relative to

the printed area is slightly positive.

As at the Preetz site, due to larger print runs than Scandinavia in the brochure sector, with correspondingly high ink coverage, there has been an increased ink consumption. However, due to the correspondingly long print runs, the waste rate has improved significantly, which is reflected in the improved core indicators for material and waste.



At the end of calendar year 24/25, the Rotoman 60/2 was commissioned in March 2025 after the dryer replacement. As stated in the environmental objectives, the goal is to improve natural gas energy efficiency by 2 GWh/year through this measure. The first 2 months show results of > 180,000 kWh/m less natural gas use. This change was carried out with a §15 BImSchG procedure.

In connection with this, a dismantling and removal of the Epsilon thermal afterburning

collection system took place. As stated in the environmental balance, this resulted in corresponding amounts of waste, mainly over 100 tons of scrap metal.

The print volume has continued to decline slightly, more significantly in mass than in printed area, which results from further declining basis weights due to corresponding customer requirements. Due to larger print runs than Scandinavia in the brochure sector, with correspondingly high

ink coverage, there has been an increased ink consumption. However, due to the correspondingly long print runs, the waste rate has improved significantly, which is reflected in the improved core indicators for material and waste.

There was an investment in compressed air. A new control system, a compressor replacement, and with this compressor a heat recovery that is to be integrated into the heat and heating system.



Through the central services of EversFrank employees, the topics of central planning and scheduling, IT, human resources management, accounting and finance as well as occupational safety and central energy purchasing are implemented. All certifications also run through EversFrank. Blue Angel, EU Ecolabel, Nordic Swan, DIN EN ISO 50001 Energy Management as well as EMAS validation.

EversFrank centrally manages documents such as the General Purchase Conditions and REACH evidence (Number of substances on the Candidate List: 247) in each case as the current status May 2025. The reports to EnEfG were implemented jointly by EversFrank, as well as the ESG content for CSRD reporting of the Stibo Group.

In fiscal year 24/25, energy purchasing for

calendar year 2026 was implemented. This included a supplier change, among other things, which will achieve an improvement in Scope 2 emissions of approximately 9,000 tons of CO₂ (according to current §42 EnWG disclosure) through central energy purchasing.



CONTINUOUS IMPROVEMENT of ENVIRONMENTAL PERFORMANCE. OUR ENVIRONMENTAL POLICY.

1. Promoting environmental awareness among all employees.

We regularly conduct courses and comprehensive training. Appropriate environmental and occupational safety groups were established, and the implementation of concrete results was ordered.

2. Integrating the employees into environmental management.

For one thing, this affects the information of every colleague on every hierarchical level at the EversFrank. For another, they are actively involved in the continuous improvement of the way we act. We motivate them to identify weak points in our processes and to come up with a solution together with the person responsible.

3. Exchanging ideas and setting benchmarks across facilities.

The individual EversFrank facilities agree on environmental performances, indicators and programmes, and they compare and reconcile them. Wherever possible, we set indicator benchmarks with other competitors.

4. Dealing with resources responsibly.

All our employees are obliged to deal with our resources and materials consciously

and sparingly. We specifically select products with regard to material and energy efficiency. They protect both our colleagues and the environment from possible pollutants so that emissions are either avoided or reduced

5. Assessing the environmental compatibility of new systems, products and processes.

Before their introduction, all environmentally relevant issues are analysed and evaluated. This applies for resource efficiency and environmental and climate protection in particular. The focus is also on these criteria in the procurement process: suppliers are then assessed, and appropriately weighted performance profiles are generated for them. So, we only provide our customers with products and services whose environmental impact and compatibility have been assessed.

6. Continuously monitoring environmental performances.

To guarantee adherence to this environmental policy, the management board has set up tests together with the employees. This practice-oriented review of our measures and their results form the basis of our continuous optimisation of our environmental performances.

7. Comprehensively communicating the environmental performances.

We disclose every issue within our environmental management in our environmental statement. We make our customers and suppliers aware of ecologically relevant topics, from the raw materials through to the finished product. We are in open dialogue with other interest groups, e.g. the authorities, the public, etc.

8. Complying with all principles and applicable laws.

Compliance with established legal provisions, regulations and obligations is a matter of course for everyone at EversFrank. It is our stated aim to avoid negative environmental impacts and pollution through our actions. This applies for every employee and representative. This environmental policy is an integral part of the company's strategy and is continuously reviewed and, if necessary, updated.

EMAS

LIFE CYCLE ASSESSMENT WITH SCOPE 1–3 (GHG).

Looking at the EMAS life cycle, it is impossible to avoid the terms Scope 1–3. But what does Scope 1, Scope 2 and Scope 3 mean?

The greenhouse gas emissions that are determined and calculated in the company are divided into Scope 1, 2 and 3 in the GHG Protocol (Greenhouse Gas Protocol), with each scope covering a different part of the emission sources.

The division allows a categorization of emissions to ultimately be able to assign where a company has the greatest potential for improvement with regard to its emissions. In addition, the company increases transparency internally, as the scopes require a detailed analysis of the company's activities.

The main distinctions between the Greenhouse Gas Protocol scopes are made based on the location of emissions (upstream and

downstream activities) and whether they are direct or indirect emissions.

Specifically, this indicates whether the emissions are caused directly by the production or service or whether they are caused by the procurement of various energy sources.



SCOPE 1 refers to the direct greenhouse gas emissions of a company or organization. These emissions result from the combustion of fossil fuels such as coal, oil, or gas, which are burned in the company's own facilities or vehicles.

The significance of Scope 1 GHG emissions lies in the fact that they contribute significantly to climate change. Greenhouse gases like carbon dioxide (CO₂), methane (CH₄), and nitrous oxide (N₂O) contribute to global warming by trapping heat in the atmosphere, thereby

enhancing the greenhouse effect. When companies measure, monitor, and reduce their Scope 1 GHG emissions, they can lessen their contribution to climate change and achieve their sustainability goals.

By improving energy efficiency and utilizing renewable energy sources, companies can lower their energy costs and increase their competitiveness.

Influencing direct Scope 1 GHG emissions is an important step for companies to

reduce their ecological footprint and make a positive contribution to climate protection.

Scope 1 EversFrank:

- Natural gas combustion
- Fuels for company vehicles
- Fuels for forklifts
- Refrigerant losses



SCOPE 2 refers to the indirect greenhouse gas emissions that arise from the use of electricity or heat.

Scope 2 GHG emissions occur when companies or organizations purchase electric energy or heat from external sources, such as utility companies. These emissions are considered indirect because they are not generated directly by the activities of the company itself but by the provision of energy or heat by third parties.

The significance of Scope 2 GHG emissions lies in the fact that they can make a substantial contribution to the overall greenhouse gas footprint of a company

or organization. By measuring, monitoring, and reducing their Scope 2 GHG emissions, companies can also decrease their contribution to global warming and achieve their sustainability goals.

Collecting and reporting Scope 2 GHG emissions is also essential for ensuring transparency and comparability between companies, providing investors, customers, and other stakeholders with information about a company's climate impact. Furthermore, by reducing their Scope 2 GHG emissions, companies can save costs by utilizing more energy-efficient technologies and renewable energy sources.

Overall, considering Scope 2 GHG emissions is a crucial component of the sustainability strategy of companies and organizations in combating climate change and creating a more sustainable future.

Scope 2 EversFrank:

- Purchase of electricity





SCOPE 3 is the third category of greenhouse gas emissions in a company or organization. It includes indirect emissions resulting from activities in the upstream and downstream processes that occur outside the direct control of the company but arise as a consequence of its business activities.

Scope 3 GHG emissions encompass a wide range of emissions that occur throughout a company's entire supply chain. This includes emissions from the production of raw materials, the transportation of goods, the use and disposal

of products, as well as business travel and employee commuting.

The significance of Scope 3 GHG emissions lies in the fact that these emissions can often account for a substantial portion of a company's total emissions. They can also have a significant impact on environmental effects, especially if the company operates in an emissions-intensive industry.

Thus, measuring and reducing Scope 3 GHG emissions is an important component of the sustainability strategy

for many companies. By identifying and monitoring these emissions, companies can take steps to optimize their supply chains and business processes, thereby reducing their environmental impacts. This can yield both ecological and economic benefits, as reducing emissions often coincides with cost savings and increased efficiency.

Scope 3 is divided into 15 categories, not all of which are applicable to EversFrank.


Scope 3 EversFrank:

Upstream Emissions

Category	Description	EversFrank
3.1	Purchased goods and services	✓
3.2	Capital goods	x (Capital goods = investment goods. Investment goods such as tangible goods are not assessed)
3.3	Fuel- and energy-related emissions (upstream of consumed primary energy sources)	✓
3.4	Transportation	✓
3.5	Waste	✓
3.6	Business travel	✓
3.7	Employee commuting	✓
3.8	Rented or leased assets	x (Minimal, currently not considered)

Downstream Emissionen

Category	Description	EversFrank
3.9	Distribution of goods	✓
3.10	Processing of sold products Scope 1 and Scope 2 emissions of the downstream company through further processing	x For potential outsourcing (minimal, currently not considered)
3.11	Use of sold products	x (Direct emissions from the usage phase/application of the product, currently not considered)
3.12	Disposal of sold products at the end of their lifecycle	x (Data on emissions from sold products are currently not available)
3.13	Rented and leased assets	x (Minimal, currently not considered)
3.14	Franchising	x
3.15	Investments	x



Input/Lebenszyklus:

Scope 1 emissions: Our CO₂ emissions mainly arise from natural gas used for drying during the printing process, as well as from solvents, printing inks, and our gas-powered company vehicles and forklifts.

Scope 2 emissions: On December 31, 2022, after more than 10 years, the continuous use of 100% green electricity and compensated natural gas was temporarily discontinued. This led to higher CO₂ emissions in the second half of fiscal year 2022/2023. However, starting from July 1, 2023, customers can request production with a climate protection contribution. For this purpose, we have provided a quota of green energy for these print productions.

Scope 3 emissions upstream: More than approximately two-thirds of the emissions in this area depend on the printing paper used from upstream processes. LWC (lightweight coated) or recycled paper have significantly different "Paper Profiles". Therefore, we prioritize advising our customers in detail to encourage the use of environmentally friendly papers. Other

relevant Scope 3 categories, such as transport, delivery, and others, are also captured in this scope.

Production:

The listed processes and printing methods emit Scope 1 to Scope 3 emissions.

Output/Lifecycle:

Printed products: Approximately 82% of the materials used leave EversFrank as printed products for their intended use.

1. CO₂ Emissions: These are the emissions from downstream processes, including the transportation and delivery of printed products, as well as the transport of recyclable materials and very small amounts of other waste.

2. Water: Water is primarily used for cooling in the printing process through evaporation cooling systems. These systems are monitored for Legionella in accordance with §42 BlmSchV. Other wastewater is returned to the water cycle through the sewage system.

3. Heat Energy: The exhaust cleaning process, which is monitored according to §28 BlmSchG with the corresponding parameters, generates waste heat through heat recovery and heat exchangers from the combustion temperatures of approximately 800 °C. This waste heat is used to support the heating systems. This and other potential waste heat sources, such as compressors, are utilized and will also be recorded in the future with the new Energy Efficiency Act (EnEfG) using a waste heat cadastre.

4. Waste: 99% of our waste is recycled. Paper and cardboard waste account for nearly all of our waste, at 97%. These waste materials can be returned to the input cycle as recycling paper through paper mills. The very small amounts of non-recyclable waste (approximately 1%) are disposed of in compliance with waste regulations.

A detailed listing can be found in the operational balance sheet in the Output section.

A GLANCE AT OUR ENVIRONMENTAL ASPECTS.

Before management specified our primary goals in their environmental policy, we first had to identify and assess every environmentally relevant issue which is of importance for our facilities. There are “direct” environmental issues, which we can control ourselves, and “indirect” ones which are the result of our work with third parties (providers, suppliers, etc.). That means both external sources of information and internal knowledge influenced the assessment. The result can be represented in the following evaluation matrix.

Core indicators	Area	Effect	Evaluation 04/2025		Environmental aspects
			Meldorf	Preetz	
Energy	Electricity	indirect			• Use of energy
	Gas	direct			
Material	Raw, auxiliary & operating materials	direct			• Use of raw materials • Services • Supply chain • Dealing with hazardous substances
	Environmental system supplier	indirect			
	Transport	indirect			
	Hazardous material	direct			
Water	Water pollution control	direct			• Water pollution control • Water consumption • Amount of waste water
Waste	Paper waste	direct			• Amount of waste
	Waste for disposal	direct			
Biodiversity	Land use	direct			• Impact on the ecosystem • Habitat reduction
	Biodiversity	direct			
Emissions	Noise	direct			• Operation of plants requiring a permit according to the Federal Immission Control Act (Bundesimmissionsschutzgesetz)
	Greenhouse gas (CO ₂)	direct			
	Emissions (SO ₂ , NO _x , Dust)	direct			



CHANCES

- Use of waste heat from production
- Development of heat management systems
- Development of district heating

- Expansion of recycled materials
- Consistent substitution testing
- material efficiency projects
- consistent analysis of supply chains / suppliers

- No use of wells (groundwater)
- Use of evaporative cooling systems

- Development and use of regional closed-loop economies
- Use of economical, highly-recyclable materials
- Best possible waste separation and prevention
- Support of new recycling technologies

- Initial reforestation of mixed deciduous forests in Schleswig-Holstein
- Utilization of existing production areas

- Regular investments in the latest technology
- Material adaptations

RISKS

- Rising costs
- Supply security
- Renewable energy quota requirements
- Requirements through certifications
- Emissions
- German Climate Protection Law
- Smaller print runs / paper weights

- Shortage of natural resources
- Emission of greenhouse gases
- Disturbance of the surrounding neighbourhood and habitats
- Pollution of soil and ground water
- Limitations in the supply chain
- Certification requirements
- Packaging law


- Shortage of natural water resources
- Water pollution
- Disruption to the ecosystem
- Rising costs for provision and preparation

- Increasing requirements for handing commercial waste
- Quantity restrictions through certifications
- Legal requirements

- Climate change (heavy rainfall, sea levels)
- Land sealing
- Threat to biodiversity

- Generation of air pollutants, noise, vibrations and odours
- Disturbance of people and the surrounding environment
- Emission of greenhouse gases
- Stricter requirements through certificates or other regulations
- Shrinking investment budgets due to declining market
- Legal requirements (e.g. 31. BImSchV)

Evaluation matrix



low medium high **Influence on action and control potential**

- **No to low** recycling opportunity
- **Average to good** recycling opportunity
- **Very good** recycling opportunity

If an environmental issue has not been integrated into the current aims because it has already been optimised or because the machine is state of the art, we will nevertheless endeavour to keep any impacts on the environment as low as possible, or to prevent them altogether.

... AND THERE ARE EVEN MORE ENVIRONMENTAL ASPECTS.

In addition to the six core indicators in the printing industry from energy to emissions, there is a whole range of materials, processes and procedures which can have an effect on the environment and ecosystem. We want to keep these as low as possible.



Encapsulated printing machine

1. Emergency Management and Fire Protection Management

Our environmental management has the primary goal of preventing and avoiding hazards from emergencies and environmentally relevant events. We achieve this through regular maintenance of our technical facilities and systems, as well as through ongoing training and further education of our employees, particularly as first responders, evacuation assistants, and fire protection helpers.

In the event that an incident does occur that could endanger people and the environment, our alarm and rescue plans ensure immediate action to avoid or minimize damage. Our goal is to prevent or reduce negative environmental impacts in emergency situations through planned measures. Both locations are fully equipped with fire detectors that are directly connected to the control centers of the responsible fire departments. Other technical facilities,

such as wall hydrants, smoke and heat extraction systems, and handheld fire extinguishers, are regularly maintained and inspected by specialized companies.

2. Noise Protection and Noise Emissions
At our locations, the main sources of noise are the sheet-fed and rotary printing machines. The latter are completely insulated and housed in special sound enclosures. We work closely with noise experts both within and outside of production, particularly during the planning phases for renovations or expansions of the facilities. This ensures that the requirements and evidence according to §15 and §16 of the Federal Immission Control Act (BlmSchG) are met through noise predictions and noise registries.

Our employees naturally have access to personal protective equipment (PPE), which covers both noise protection and other aspects of occupational safety, such

as individually tailored hearing protection. Additionally, our company doctor offers preventive examinations in the area of “Noise”.

3. Hazardous substances

Our main aim and priority is to avoid the use of hazardous substances. If using such materials is necessary and it is not possible to avoid using them or to use less dangerous alternatives, adherence to legal regulations is the minimum standard that must be followed. The relevant heads of department, in collaboration with technical experts, are responsible for the proper handling and storage of hazardous substances and for the provision of safety data sheets and user guides, as well as for the instruction and training of employees in this area.

Before new materials are used, we determine potential hazards and establish appropriate protective measures. Hazardous substances are always placed in secure



containers and packaging. This applies to both internal transport and to the emptying and unpacking into smaller containers. Factory-owned containers have the corresponding hazardous substances labels. They are only stored in defined locations and spaces, and in suitable container systems, containers and, when necessary, in the required collecting systems. Only the quantities required for the day are stored in the work, production and machine areas. Occupational safety, fire safety and environmental protection are all taken into consideration.

There is a copy of the current hazardous substances register created in accordance with the Globally Harmonized System for the Classification and Labelling of chemicals (GHS) available at each of our sites. The UN's Globally Harmonized System of Classification and Labelling of Chemicals (GHS) is a unified global system for the classification of chemicals and for labelling them on packaging and in safety data sheets.

The type of danger is reflected by the class of hazard. Dangers within a hazard class are graded by being subdivided into hazard categories. So, for example, flammable liquids are subdivided into three hazard categories depending on their flash point. A material is assigned one or more hazard warnings (Hazard Statement) for each

hazard class and category that applies to it. This warning includes a hazard pictogram and a signal word – either Danger or Warning – as well as a range of safety measures (Precautionary Statements). The storage of hazardous substances is additionally monitored regularly by an external officer responsible for hazardous goods.

The storage of hazardous substances is also regularly checked by an external hazardous goods officer.

4. Procurement process

The ecological aspect and the standards relevant to us are anchored accordingly in our purchasing and procurement guidelines. This enables us to ensure that environmental aspects are included and taken into account when purchasing machinery, equipment, raw materials and services. Our suppliers are actively informed about our purchasing and procurement guidelines. Our aim is to generally prefer environmentally friendly supplies and services while respecting economic efficiency.

For the materials used, we require our suppliers to provide information on which management systems, in particular environmental management systems, are installed there. In the case of supplier information and evaluations, sustainabil-

ity reports, the Code of Conduct, the use of green electricity, the CO₂ footprint or climate neutrality as well as efficiency projects and recycling processes are recorded and included in the selection. Additionally all suppliers must submit the REACH-declarations (EU Chemicals Regulation). As a so-called downstream user, we thereby comply with the legal requirements in accordance with Article 33 of the REACH-declaration. Thus, from today's perspective and on the basis of the written information provided by our suppliers, it is not to be expected that our products contain SVHC substances („substances of very high concern“) in a mass concentration of more than 0.1%.

The Supply Chain Due Diligence Act (LkSG) does not apply to the EversFrank, as the company does not employ 3,000 people. Even with the tightening to 1000 employees from Jan. 1, 2024, it does not affect the Group. By signing these Group-wide purchasing conditions of the EversFrank, the supplier acknowledges that the environmental profile and energy profile of materials, products and services are included in the selection and evaluation process for procurement. For this purpose, the corresponding procedural instructions are used.

INTERESTED PARTIES AND

EMAS is directed towards various interested parties that have different expectations regarding the environmental management system. Companies and organizations that have opted for EMAS aim to reduce their environmental impacts, improve their environmental

performance, achieve their environmental goals, and transparently communicate their environmental performance through EMAS.

From the customers' and distributors' perspective, customers expect that

companies and organizations that have implemented EMAS act environmentally conscious and minimize their environmental impacts.

Employees are increasingly interested in the environmental impacts of their

In summary, the expectations of interested parties lead to opportunities and risks, as well as

Interested Parties	Expectations/Requirements	Importance high/medium/low	Opportunities (O)/Risks (R) (Assessment 04/2025)
Employees/ works council	<ul style="list-style-type: none"> Secured jobs Environmentally-friendly workplaces Ecologically exemplary actions by the company 	• high	<p>O: Increased employee motivation through strong identification with the company</p> <hr/> <p>R: Demotivation, higher employee turnover</p>
Customers/ distributors	<ul style="list-style-type: none"> Compliance Information on the ecological balance of products Certifications/environmental performance Environmentally conscious image 	• high	<p>O: Customers reward transparent communication through conscious purchasing decisions</p> <p>O: Strengthening customer loyalty through credible engagement</p> <hr/> <p>R: Downgrading in customer supplier evaluations</p> <p>R: Environmental balance of competitor products possibly better</p> <p>R: Smaller orders lead to poor environmental figures</p> <p>R: Less print, more online media</p>
Neighbors/residents/ public	<ul style="list-style-type: none"> No negative environmental incidents and disturbances Reduction of emissions (e.g., noise) Transparent communication and easily accessible information about the company 	• medium	<p>O: Avoidance of conflicts and legal disputes through cooperative action</p> <p>O: Gaining trust from local residents and increased tolerance towards temporary negative effects in production</p> <hr/> <p>R: Conflicts and legal disputes in case of neglecting complaints</p>
Suppliers	<ul style="list-style-type: none"> Two-way communication Regulated business terms 	• low	<p>O: Expansion of business relationships</p> <hr/> <p>R: Termination of business relationships</p> <p>R: Supply chain problems</p>
Authorities/agencies/ certification bodies / legal requirements	<ul style="list-style-type: none"> Compliance with laws/standards Adherence/transparency in reporting and communication Consideration of all specific legal requirements and active reporting in case of deviations Careful and precautionary handling of local resources (soil, water, air) as well as reduction of waste and emissions Act on Supply Chain Due Diligence (LKSG) Corporate Sustainability Reporting Directive (CSRD) 	• high	<p>O: Simplified approval processes and improved collaboration through active and open communication</p> <p>O: Improved cooperation and support from authorities in legal uncertainties</p> <hr/> <p>R: Stricter requirements and prolonged approval processes, more frequent on-site inspections when withholding information</p> <p>R: Stricter requirements and more frequent inspections if the impression is given that environmental risks are not managed care-fully, up to fines</p>
Shareholders	<ul style="list-style-type: none"> Compliance/legal conformity Transparent communication Improvement of environmental performance 	• medium	<p>O: Certifications provide security in the respective areas</p> <hr/> <p>R: External verification through audits</p>

THEIR EXPECTATIONS.

employer. They expect the company to take measures to reduce its environmental impacts and create a sustainable work environment. EMAS can help strengthen employees' environmental awareness and involve them in the implementation of environmental goals.

Regulatory authorities aim to control environmental impacts and enforce environmental standards. With EMAS environmental management, environmental impacts are actively managed and monitored.

The public and non-governmental organizations (NGOs) are increasingly interested in environmental impacts. Through this transparent public environmental declaration, we provide corresponding insights.

possible activities and measures. We have listed these in the attached table:

Responsibility/Implementation	Possible Activities/Measures
<ul style="list-style-type: none">Shareholders, CEO, COO, department heads, and all employees	<ul style="list-style-type: none">Participation and involvement in processes and projects to enhance and further develop sustainability
<ul style="list-style-type: none">Compliance officerCEO, COO, department heads, and all employeesProof through validation/certification: EMAS, ISO 50001, Blue Angel, EU Ecolabel, Nordic Swan, FSC®, and PEFC TM	<ul style="list-style-type: none">Maintenance of environmental validation/certification and all environmental labelsIncrease of environmental aspects in procurement (e.g., Blue Angel, EU Ecolabel, Nordic Swan)Continuous improvement of the footprint
<ul style="list-style-type: none">CEO, COO, and designated officersBlue Angel, Federal Immission Control Act (BImSchG), Industrial Emissions Directive (IED)Online presence, blog, social media, and environmental declaration	<ul style="list-style-type: none">Transparency through an annual public environmental declarationOnline presence through own website and blog entries, as well as information on public pages
<ul style="list-style-type: none">Procurement areas: current comprehensive group-wide procurement policy	<ul style="list-style-type: none">Regular supplier evaluationsSupplier development program
<ul style="list-style-type: none">Compliance officerAccounting, designated officers, and marketing	<ul style="list-style-type: none">Proactive collaboration with authoritiesEnsuring knowledge of future legal requirements
<ul style="list-style-type: none">Supply Chain Due Diligence Act (LKSG) – not applicable yetCorporate Sustainability Reporting Directive (CSRD) – EversFrank reporting 2025	
<ul style="list-style-type: none">Compliance officerCEO, marketing, and designated officersCOO	<ul style="list-style-type: none">Internal maintenance and review of requirements by designated personnel

OUR ENVIRONMENTAL TEAM.

What do you associate with the terms environment and EversFrank?

The protection of the environment is not only part of EversFrank's claim, it has been pursued for more than 20 years. In the beginning, the focus was on working cost-effectively. However, it quickly became apparent that this could also have a major impact on the environment. This led to a stronger desire for environmentally friendly production options that are good for the environment as well as our costs.

Why is the environmental aspect so important to the EversFrank?

The environmental aspect forms the basis for target definitions, opportunities and risks. The matrix shows the direct or indirect effects of the company. In the course of each assessment, we evaluate the potential of action and control, the current environmental impacts and whether the relevance in the matrix is given.

What impact does the new Climate Protection Act have on the printing industry?

For gas-powered printers, there was a relatively high cost increase starting January 1, 2021, of €25 per ton of CO₂. For 2022/23, this rose to €30 per ton of CO₂, and for 2024, the CO₂ price will increase to €45 per

ton of CO₂. In 2025, there will be a jump to €55 per ton of CO₂. We say "relatively high" because, compared to private households, the industrial gas price is lower. Now, machine manufacturers are challenged to develop savings options for this energy-intensive printing process (heating, cooling, and burning exhaust gases from mineral oil-based printing inks), such as significantly reducing fossil inputs.

How do you assess the importance of sustainable corporate philosophies for the future?

We only have this one earth and already in July of this year we have used up all the resources of the earth year. A balance has to be found between economy, ecology and social issues. A big challenge which raises an important question: Can we master our future without permanent growth? Bigger, higher, further?

To what extent are the employees of the EversFrank made aware of the environmental concept?

Colleagues and employees are an important component of environmental management. Everyone can directly address the environmental team and contribute ideas. Communication and direct exchange are

important. We regularly inform the sales teams at the sites about the status and about new developments and changes in the field of environment.

How has the development of sustainability in the EversFrank progressed over the past five years?

Sustainability is a comprehensive concept. One part of it is the environmental management. We do have some sustainability issues internally, but it is important to us to first examine all areas of the individual sites before starting to validate and report, for example. We focus on modern and efficient systems in order to maintain and even increase efficiency even with lower volumes. We are working hard to constantly improve. Sustainability is not a buzz word and it is becoming increasingly important for our customers.



STEP BY STEP TO THE GOAL.

Achieving optimal energy efficiency, consistent CO₂ minimization, and continuous improvement in material usage—such ambitious environmental programs cannot be realized as an afterthought. They require ideas, individual measures, controls, monitoring, plans, and above all, a team that works together through these many steps and drives implementation. Only in this way can we continuously avoid more environmental burdens year after year and improve our environmental performance.

In the following pages, you will find our current environmental programs, which are evaluated, updated, and expanded with new projects each year. Ongoing monitoring helps us control and, if necessary, adjust the effectiveness of measures and the progress of implementation. This allows us to represent performance, processes, envi-

ronmental metrics, as well as occupational safety and security parameters. The relative and absolute progress is made transparent and serves as the basis for the continuous improvement of the entire environmental management system. In this way, we achieve our ambitious goals step by step.



EVERSFRANK MELDORF

No.	Environmental Goal	Measures and Environmental Program	Deadline	Responsibility	Status 04/2025	
01.11 Material/ Operating Material	IPA reduction web printing without IPA	Continuous expansion of IPA-free printing	ongoing	Department heads and employees of the sheet-fed and web-fed printing department	no IPA web-fed printing since BY 22/23 (< 0,2t/a)	
11.11 Energy/ Electricity/ Gas	Improvement of the core indicator „Energy efficiency“ (BY 24/25 0,0138 GWh/Mio. m ²)	various measures	ongoing	All divisions	Core indicators: BY 22/23: 0,0137 GWh/Mio. m ² BY 23/24: 0,0146 GWh/Mio. m ² BY 24/25: 0,0149 GWh/Mio. m² (target -3 % not achieved) continuous indicator is updated annually	
12.11 Material/ Input/ Output	Improvement of the core indicator „material efficiency“ (BY 24/25 0,315 kt/Mio. m ²)	various measures in the area of consumption and waste reduction	ongoing	All divisions	Core indicators: BY 22/23: 0,0323 GWh/Mio. m ² BY 23/24: 0,0315 GWh/Mio. m ² BY 24/25: 0,0293 GWh/Mio. m² (target 0 %, with -6,8 % achieved) continuous indicator is updated annually	
04.15 Material/ Raw Material	Waste paper reduction (GJ 24/25; -1% rel.)	Project Material Efficiency	next valuation 05/2026	Department heads web printing, sheet-fed printing, further processing	BY 22/23: waste rate 17,39 % BY 23/24: waste rate 16,75 % BY 24/25: waste rate 16,28 % (target -1% rel., with -2,8 % rel. achieved)	
02.17 Energy/ Electricity	Compressor replace- ment (energy efficiency 70.400 kWh/a)	Replacing a compressor with the latest efficient technology	(06/2018) 12/2018	Plant and system engineering	Replacement measure, new compressor with active power consumption according to ISO 1217 Annex of guaranteed 6.9 kW/m ³ /min Successfully implemented, remaining work open	
01.17 Emissions / Green- house Gases	Waste heat utilisation (1.500 MWh waste heat with 400t CO ₂ - saving, adjustment BY 23/24 due to fewer machines and less production)	District concept of the city of Meldorf, waste heat utilisation through seasonal storage facilities	(06/2019) 01/2026	Management, plant and system engineering	18.02.2018 founding of Meldorf municipal utility 29.11.2019 federal government supports waste heat network 30.01.2020 School association decides supply 15.06.2020 Public display of the F plan 18.02.2021 Business plan heat infrastructure 07.09.2021 Draft contracts 02.11.2021 Groundbreaking ceremony 01.06.2023 Storage basin filled with 50 million litres of water 1st quarter 2024 new FW line EversFrank WIMEG energy centre	
03.17 Energy/ Electricity	Replacement sheet- fed printing machine (energy efficiency, 126.000 kWh/a with the same output)	Replacement of a sheet-fed printing press with the latest efficient technology	(06/2018) 10/2018	Managing director and head of sheet-fed print- ing department	Order placed, commissioning 10/2018 Successfully implemented	
02.18 Material/ Energy	Improvement of the performance of ext- raction and blowing air systems chip extraction and failure safety	Project improvement of the extraction and blowing air system, quantification of energy efficiency and comple- tion of the test	(12/2019) 06/2023	Plant manage- ment EversFrank Meldorf, plant and system engineering	new GJ 18/19 Extension, will be reconsidered after consolida- tion and adjustment of web-fed printing at the beginning of 2021 Dismantling Lithoman A	

No.	Environmental Goal	Measures and Environmental Program	Deadline	Responsibility	Status 04/2025	
06.18 Emissions/ Green- house Gases	Improvement of CO₂ emissions	Technotrans company, Refrigeration unit with innovative refrigerant R513A (previously R407C)	12/2018	Plant management Eversfrank Meldorf, Department head web printing	finished implemented, GWP reduction of R513A compared to R407C minus approx. 66 %	
01.20 Material efficiency	Less packaging - Packing frame up to -50% - Optimised use of film up to -20% - Employee health (back protection)	new pallet line	ongoing	Plant manager, department manager	new BY 20/21 Pallet line set up and ready for use from 10/2021 Packing frame > 30 % savings Film usage savings cannot be determined exactly	
02.21 Energy efficiency	compressed air system optimized	concept with new compressor if necessary (quantification to follow)	12/2022	plant and systems engineering	new compressor installed	
02.22 Energy (Gas + Electricity)	CO₂ savings, Heating system (Quantification follows)	Complete heating system is hydraulically inspected, parallel to this an energy inspection should also be carried out.	(BY 22/23) BY 24/25	plant and system engineering	Analysis, reports, and cost estimates are available; high ROI currently no implementation target 01.17 is being pursued	
03.22 Energy efficiency (Electricity)	CO₂ savings, Exhaust air plant (Quantification follows)	Reduction of electrical power, software conversion, modification for stepless control of the circulation fans	BY 22/23	Plant management, plant and system engineering	implemented Evaluations are available	
01.23 Energy / Electricity	CO₂ savings, energy efficiency compressed air	Project compressed air leakage	ongoing	Plant and system engineering		
02.23 CO ₂ - Monitoring	CO₂ analysis of packaging	Updating the physical data of the packaging with CO ₂ emissions from packaging manufacturers/suppliers	(09/2024) 12/2024	Plant logistics, environmental management	CO ₂ packaging calculator has been programmed and is active	
03.23 Emissions/ Green- house Gases	Avoidance of Scope 1 forklifts with propellant gas	Planning with tender switch from LPG forklift trucks to double-decker vehicles with lithium-ion technology	01/2024	Plant logistics, management	implemented Lithium-ion tiller forklift with 250 Ah as replacement	
01.24 Energy efficiency (Gas + Electricity)	Modification of circulating blowers (fan motors section) by Contiweb through EPR (Electrical Power Reduction) Lithoman D [As per 01.22 at the Lithoman C]	Software update of circulating blowers and installation of a temperature sensor enable stepless control of the motors	06/2025	COO operations technology	currently not being pursued further	
02.24 Energy Efficiency (Waste Heat)	Heat recovery inventory, heat quantity meters as needed	Notification in accordance with EnEfG to BAFA/BfEE heat recovery platform	12/2024	Environmental management and management	EnEfG Waste heat register quantities and notification 12/2024 completed	
02.24 Energy Efficiency (Gas)	20% natural gas savings per Wh/m² of printed area	Decommissioning and dismantling of Rotoman H, extension of production times to the most efficient machines (4 shifts)	01/2026 (first evaluation)	Management	in progress	



EVERSFRANK PREETZ

No.	Environmental Goal	Measures and Environmental Program	Deadline	Responsibility	Status 04/2025	
20.12 Material/ Raw Material	Improvement of the core indicator „material efficiency“ (BY 25/26: 0,0275)	Waste paper projects at the printing machines, web width optimization in scheduling and AV	ongoing	All divisions	BY 21/22: 0,0309 BY 22/23: 0,0305 BY 23/24: 0,0291 BY 24/25: 0,0279 – target -2,7 % achieved (-4,1%)	
03.15 Energy/ Electricity	Improvement of energy efficiency „electricity“ during shutdown (40% relative to production area)	Reduction of the base load value during the shutdown period	ongoing	Department managements	Plans for Lithoman 64, 80/1, 80/2 created, more areas to follow Plans for further processing are created	
03.18 Waste	Improvement of the core indicators „Waste“ through storage optimization (BY 25/26: waste: 0,0054)	Minimization of storage quantities, avoidance of overcapacities and disposal of residual quantities	ongoing	Management, Department heads	Waste: BY 21/22: 0,0061 BY 22/23: 0,0062 BY 23/24: 0,0057 BY 24/25: 0,0055 – target -1,8% achieved (-3,5%)	
01.20 Energy/ Gas	Improvement of energy efficiency „gas“ (BY 2023: 30 % reduction in gas consumption for heating compared to BY 2019)	Replacement of the old heating system with modern gas condensing boilers	(06/2021) 04/2024	Managing Director, Energy and environmental management	BY 20: -12 % to BY 2019 – target not achieved BY 21: -18 % to BY 2019 – target not achieved BY 22: -41 % to BY 2019 – target achieved BY 23: -44 % to BY 2019 – target achieved	
01.22 Energy/ Air pres- sure	Energy efficiency electricity	Checking the compressors for replacement or shutdown of individual compressors	ongoing	Energy and environmental management	BY 22/23: Basic data has been recorded BY 23/24: Data will be tracked further Compressor 2 has the highest potential	
02.22 Energy/ Air pres- sure	Energy efficiency electricity	Shutdown and start-up schedules for compressed air in webfed printing and finishing	(06/2023) 04/2025	Energy and environmental management	Plans for compressed air are created	
03.22 Energy/ Gas	Energy efficiency gas	Checking the dimming and regulation/control of the heating circulation pumps	(06/2023) 04/2025	Plant and system engineering	BY 22/23: Offer for hydraulic balancing available, not yet implemented BY 23/24: Report is available. Not cost-effective, high ROI	
01.23 Energy/ Electricity	Energy efficiency electricity Target: 10 % Savings in electricity per printing plate by BY 21/22	Creation of running plans for the furnace of the prepress south	01/2024	Energy and environmental management, Prepress team leader Preetz	BY 22/23: Running plan is created BY 22/23: -10,68 % to BY 21/22 – target not achieved BY 23/24: -9,22 % to BY 21/22 – target not achieved	
01.24 Energy/ Gas	Energy efficiency gas Goal: savings of 2 GWh of gas with the Rotoman 60/2 for the fiscal year 2023	Replacement of the dryer of the Rotoman 60/2 and the dismantling of the external thermal afterburner Epsilon	01/2026	Management	Commissioning March 13, 2025 The first few months show an efficiency improvement of >180,000 kWh/m	

EVERSFRANK

No.	Environmental Goal	Measures and Environmental Program	Deadline	Responsibility	Status 04/2025	
01.13 Emissions/ Green- house Gases	CO₂ reduction	Production with 100% green electricity from regenerative power generation without the use of fossil fuels and climate-neutral natural gas	ongoing	Management	Further implementation of 100 % eco energy by the 31.12.2021/30.06.2022	
01.15 Emissions	Eco-label Blue Angel UZ 195	Change of materials, e.g. printing ink	(06/2021) 12/2022	Environmental management, department heads	Blue Angel eco-label awarded 06/2023	
01.16 Emissions/ Green- house Gases	CO₂ reduction through initial afforestation	Intensive land search for Evers ReForest	04/2025	Management of Evers ReForest	Expansion of compensation possibilities in Schleswig-Holstein with the last first afforestations in Ausacker and Huerup (s. www.evers-reforest.com)	
02.18 Material/ Raw Material Paper	Energy efficiency (higher web width utilisation with largely the same energy input) Development of a key figure	Development of a key figure Visualization of the web width utilization of the rotary presses (RBN) within the planning board to show optimization potentials. Switch-over option of the planning board from customer color of the planning strips to a width-dependent coloring (e.g. up to 60% = red; up to > 90% = dark green).	10/2018	Management and IT	Target was fully met on 29.03.2019 by IT-Development of Eversfrank.	
01.21 Emissions	EU-Ecolabel (EU) 2020/1803	conversion of materials, reduction of solvents	11/2022	Environmental management, head of departments	EU-Ecolabel awarded 10/2022	
01.22 Emissions	Resource savings for energy and environmental management, identifying cost potentials through a management system	Integration and consolidation of the management systems EMAS and DIN EN ISO 50001	09/2025 (09/2026)	Management and environmental management	postponed due to merger, among other reasons	 
01.23	Ecolabel Nordic Swan 6.0	Nordic Swan certification with on-site audits by the Danish Standards Foundation	01/2024	Environmental management	Achieved at the beginning of 2024	
01.24	CSRD reporting	Joint data collection by Stibo and EversFrank	04/2025	Management and environmental management	Data has been determined	
01.25	Improvement Scope 2 emissions from electricity (target 9.000t CO₂)	Change of energy supplier, more economical and also improvement in CO ₂ emissions in accordance with §42 EnWG	01/2026	Management purchasing and environmental management	new	

 new finished in process not achieved ongoing will not be continued

ENVIRONMENTAL STATEMENT 2025



FROM GOALS TO RESULTS: OUR ECOLOGICAL OPERATIONAL BALANCES.

The only things that count on the following pages are figures, data and facts.

These ecological balance sheets are the basis of our EMAS certification and allow our measures and goals to be analysed. A balance sheet is created every year for each facility for the purpose of comparison and is presented in the form of core indicators.

The core indicators represent the environ-

mental performance on the basis of a consumption or production volume in relation to a corresponding reference value. With it the respective input of each core indicator (energy, material, waste or water, etc.) is set in relation to the output. This allows environmental performance and changes in efficiency to be compared continuously and over the long term.

The interim financial year 23/24 with only 10 months can also be represented and

compared. However, this requires a time adjustment for biodiversity and a reference to the two missing summer months for water. This is shown in the operating balances and explained in more detail in the long-term development of the indicators.



ECOLOGICAL BALANCE SHEET



CORE INDICATORS EMAS III REGULATION (EC) NO 1221/2009 ANNEX IV

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY	Goal BY
							25/26
Energy efficiency	Direct energy consumption [GWh]	27,92	24,92	20,72	26,54	↑ 28,1%	
	Direct consumption of renewable energies [GWh]	17,56	8,11	0,30	0,16	↓ -46,5%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↑ 24,9%	
	Renewable energy indicator [GWh/mio. m²]	0,0073	0,0045	0,0002	0,0001	↓ -57,1%	
Material efficiency	Energy efficiency indicator [GWh/mio. m²]	0,0117	0,0137	0,0146	0,0149	↗ 2,5%	0,0138
	Direct material use (raw materials, operational materials, auxiliary materials) [t]	73,28	58,79	44,72	52,09	↑ 16,5%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↓ 24,9%	
	Material indicator [kt/mio. m²]	0,0306	0,0323	0,0315	0,0293	↘ -6,8%	0,3000
Water	Direct water consumption [1.000 m ³]	24,54	26,46	16,34	17,49	↗ 7,0%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↓ 24,9%	
Waste	Water indicator [1.000 m³/Mio. m²]	0,0103	0,0145	0,0115	0,0098	↓ -14,4%	0,0100
	Annual volume of waste [kt]	12,63	10,57	7,80	8,81	↑ 13,0%	
Biological diversity	Annual volume of hazardous waste [kt]	0,09	0,08	0,07	0,10	↗ 37,6%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↓ 24,9%	
	Hazardous waste indicator [t/mio. m²]	0,0053	0,0058	0,0055	0,0050	↘ -9,6%	
	Waste indicator [kt/mio. m²]	0,0376	0,0429	0,0526	0,0580	↑ 10,1%	0,0053
Emissions	Area used on ground floor [1.000m ²]	48,7	48,7	48,7	48,7	↗ 0,0%	
	Sealed area [1.000m ²]	44,0	44,0	44,0	42,7	↘ -3,0%	
	Near-natural area at the facility [1.000m ²]	4,7	4,7	4,7	4,7	↗ 0,0%	
	Near-natural area next to the facility [1.000m ²]	0,0	0,0	0,0	0,0	↗ 0,0%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↓ 24,9%	
	Sealed area usage indicator [1.000 m²/Mio. m²****]	0,0184	0,0241	0,0258	0,0200	↘ -22,3%	0,0245
	Scope 1 greenhouse gases (gas, LPG, diesel, refrigerants) in CO ₂ [t] *	2,524	2,449	2,141	2,935	↑ 37,1%	
	Scope 2 greenhouse gases (electricity) in CO ₂ [t] **	49	3,304	6,393	9,833	↑ 53,8%	
	Scope 3 greenhouse gases (Upstream) in CO ₂ [t] *** (*****)	101,444	56,784	34,102	57,677	↑ 69,1%	
	Scope 3 greenhouse gases (Downstream) in CO ₂ [t] ***	5,206	3,844	3,287	3,455	↗ 5,1%	
	Printed products / reference value [mio. m ²]	2,391	1,823	1,422	1,776	↓ 24,9%	
	Greenhouse gas emissions indicator [kt/Mio. m²]	0,0457	0,0364	0,0323	0,0416	↑ 28,8%	0,0385



The trend arrow for changes on the previous year is automatically calculated for the relevant area (e.g. raw materials). The absolute changes and the minimum and maximum changes are divided into 5 clusters for this purpose.

This should make the changes easier to read. As a result, the changes are also split into data sets. There is no assessment or evaluation of the materials or core indicators.

However, the mathematical groupings, e.g. an arrow with the description "no change", mean that positive and negative values can also be found for these clusters.

* Data according to GEMIS 5.1 and GWP

** for green electricity ECOINVENT DATABASE, otherwise reported in accordance with §42 EnWG

*** up to and including FY 2021/2022 First Climate, from FY 2022/2023 ClimateCalc

**** FY 2023/2024 extrapolated to 12 months

***** new and included for the first time in FY 24/25, Scope 3.5 includes upstream waste emissions

The CO₂, CH₄, N₂O, halogenated fluorocarbon, PFC, NF₃ and SF₆ emissions required in the total annual greenhouse gas emissions in accordance the EMAS regulation, expressed in tonnes of CO₂ equivalent, are taken into consideration in the ecological balance sheets.

The emission values for all six greenhouse gases are verified or determined for this purpose. In addition to carbon dioxide (CO₂), which makes up more than 99.5% of the total, fluorocarbons (halogenated fluorocarbons) are converted into GWP via refrigeration systems. Sulphur hexafluoride (SF₆), for example, is present in very small quantities as an isolating gas in the switching units for transformers but is to be disregarded when considering greenhouse gas emissions.

Further, methane (CH₄; formed when organic materials are broken down under the exclusion of air) and laughing gas (nitrous oxide, N₂O; relevant to the use of fertilisers) are not formed.

The quantities arising from the combustion processes at the facilities in Meldorf and Preetz are listed under NO_x as NO₂ in these output balance sheets. Finally, nitrogen trifluoride (NF₃), e.g. in semiconductors or in the photovoltaics industry, is also irrelevant for the EversFrank.

INPUT

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY
Raw materials [t]	Web paper	64.677,2	51.592,5	39.313,0	46.254,7	↑ 17,7%
	Sheet paper	5.418,8	4.605,9	3.399,0	3.304,9	↓ -2,8%
	Web ink	2.144,0	1.628,7	1.330,6	1.738,6	↑ 30,7%
	Sheet ink	45,3	51,9	22,5	29,3	↑ 30,0%
	Coating	124,3	55,2	26,6	34,7	↑ 30,2%
	Packaging and shipping materials	447,8	439,1	307,9	344,6	↑ 11,9%
	Raw materials total	72.857,4	58.373,4	44.399,7	51.706,8	↑ 16,5%
Operating materials [t]	Isopropyl	0,03	0,22	0,21	0,11	↓ -45,9%
	Fountain solution additive (fountain solution)	56,7	52,8	43,1	55,2	↑ 28,1%
	Rubber cloth / drum detergent	41,1	31,6	20,2	36,7	↑ 81,6%
	Printing plates	102,5	118,7	101,3	110,7	↗ 9,3%
	Developer solution	8,9	10,1	8,0	8,3	↗ 3,0%
	Fuel for company cars	22,7	43,4	31,4	47,3	↑ 50,5%
	Fuel for gas-powered fork-lifts	25,0	20,2	9,8	12,2	↑ 24,3%
	Operating materials total	257,0	277,1	214,1	270,4	↑ 26,3%
Auxiliary materials [t]	Silicone	54,1	46,7	32,4	29,9	↓ -7,6%
	Silicone concentrate	21,9	19,0	11,9	12,0	↗ 0,4%
	Back wire	56,8	41,0	38,0	37,6	↓ -1,1%
	Adhesives	37,6	34,8	27,7	34,8	↑ 25,8%
	Auxiliary materials total	170,4	141,4	109,9	114,2	↗ 3,9%
Energy [million kWh]	Electricity	17.558	14.852	11.921	14.438	↑ 21,1%
	Gas	10.362	10.063	8.801	12.100	↑ 37,5%
	Energy total	27,9	24,9	20,7	26,5	↑ 28,1%
Water [m³]	Fresh water	24.539	26.462	16.342	17.485	↗ 7,0%
	Water total	24.539	26.462	16.342	17.485	↗ 7,0%

OUTPUT

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY
printed products / Ref. value [mio. m²]	Journals, magazines, inserts, catalogues	2.391,3	1.823,0	1.421,7	1.776,1	↑ 24,9%
Waste [t]	Total waste generated (reference value core indicator)	12.631,4	10.570,3	7.800,3	8.810,5	↑ 13,0%
Non-hazardous waste for processing [t]	Paper waste	11.498,4	9.775,3	7.155,1	8.069,7	↑ 12,8%
	Cardboard	612,4	505,8	360,0	438,1	↑ 21,7%
	Plastic packaging (film)	13,03	10,38	3,07	11,41	↑ 271,5%
	printing plates	110,83	116,24	78,79	91,64	↑ 16,3%
	wood	32,47	25,93	25,77	29,81	↑ 15,7%
	scrap metal	227,43	20,38	74,16	27,38	↓ -63,1%
	Building rubble	3,07	2,48	0,77	8,18	↑ 962,3%
	Batteries and accumulators	0,00	0,08	0,00	0,06	n.a.
	Adhesive waste	4,35	5,21	3,25	4,17	↑ 28,3%
	Non-hazardous waste for processing	12.501,92	10.461,79	7.700,97	8.680,47	↑ 12,7%
	Waste recycling rate	99,0%	99,0%	98,7%	98,5%	↓ -0,2%
Non-hazardous waste for removal [t]	Residual waste	39,6	30,3	24,4	27,1	↑ 10,8%
	Non-hazardous waste for removal	39,6	30,3	24,4	27,1	↑ 10,8%
Hazardous waste for processing [t]	Absorbent and filter materials and used oil mixtures	57,48	45,04	46,31	63,05	↑ 36,1%
	Fluorescent tubes	0,00	0,00	0,00	0,13	n.a.
	Barrels, plastic canisters (packaging)	1,10	1,26	0,58	1,26	↑ 117,2%
	Electronic waste	1,79	0,54	1,35	2,73	↑ 103,1%
	Hazardous waste for processing	60,4	46,8	48,2	67,2	↑ 39,2%
Hazardous waste for removal [t]	Aqueous washing liquids and mother liquors	14,24	11,73	13,45	11,22	↓ -16,6%
	Printing ink and varnish waste	6,42	6,41	6,89	11,58	↑ 68,1%
	Offset plate developer solutions	7,58	9,32	6,08	12,51	↑ 105,8%
	insulating materials	1,26	3,93	0,20	0,50	↑ 150,0%
	Total of hazardous waste for removal	29,5	31,4	26,6	35,8	↑ 34,5%
Waste water [m³]	Indirectly introduced (social and production waste water)	4.237	3.223	2.256	3.734	↑ 65,5%
	Waste water total	4.237	3.223	2.256	3.734	↑ 65,5%
Emissions [t]	Air pollutants (gas, LPG, diesel) in SO ₂ *	0,038	0,037	0,032	0,044	↑ 37,5%
	Air pollutants (gas, LPG, diesel) in NO _x **	4,171	3,856	3,392	4,256	↑ 25,5%
	Air pollutants (gas, LPG, diesel) in dust ***	0,239	0,238	0,202	0,259	↑ 28,0%

* Data according to GEMIS 5.1

** Data according to GEMIS 5.1 and emission measurement

*** Data according to GEMIS 5.1 and manufacturer information





ECOLOGICAL BALANCE SHEET

CORE INDICATORS EMAS III REGULATION (EC) NO 1221/2009 ANNEX IV

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY	Goal BY
							25/26
Energy efficiency	Direct energy consumption [GWh]	33,40	27,75	22,54	26,68	↓ 18,4%	
	Direct consumption of renewable energies [GWh]	19,67	8,54	0,30	0,16	↓ -46,5%	
	Printed products / reference value [mio. m ²]	2,559	1,967	1,605	1,954	↓ 21,7%	
	Renewable energy indicator [GWh/mio. m²]	0,0077	0,0043	0,0002	0,0001	↓ -56,0%	
Material efficiency	Energy efficiency indicator [GWh/mio. m²]	0,0131	0,0141	0,0140	0,0137	↓ -2,8%	0,0125
	Direct material use (raw materials, operational materials, auxiliary materials) [kt]	78,98	60,01	46,77	54,56	↓ -22,1%	
	Printed products / reference value [mio. m ²]	2559	1967	1605	1954	↓ -18,4%	
	Material indicator [kt/mio. m²]	0,0309	0,0305	0,0291	0,0279	↓ -4,5%	0,0275
Water	Direct water consumption [1.000 m ³]	24,07	21,02	18,97	19,03	↑ 0,3%	
	Printed products / reference value [mio. m ²]	2,559	1,967	1,605	1,954	↓ 21,7%	
Waste	Water indicator [1.000 m³/Mio. m²]	0,0094	0,0107	0,0118	0,0097	↑ -17,6%	0,0100
	Annual volume of waste [kt]	15,74	12,30	9,17	10,68	↓ 16,4%	
Biological diversity	Annual volume of hazardous waste [kt]	0,14	0,12	0,11	0,11	↑ 4,2%	
	Printed products / reference value [mio. m ²]	2559	1967	1605	1954	↓ 21,7%	
	Hazardous waste indicator [t/mio. m²]	0,0555	0,0585	0,0684	0,0585	↑ -14,4%	
	Waste indicator [kt/mio. m²]	0,0061	0,0062	0,0057	0,0055	↑ 0,0%	0,0050
Emissions	Area used on ground floor [1.000m ²]	105,5	104,8	104,8	104,8	→ 0,0%	
	Sealed area [1.000m ²]	59,9	59,2	59,2	59,2	→ 0,0%	
	Near-natural area at the facility [1.000m ²]	45,6	45,6	45,6	45,6	→ 0,0%	
	Near-natural area next to the facility [1.000m ²]	0,0	0,0	0,0	0,0	→ 0,0%	
	Printed products / reference value [mio. m ²]	2,559	1,967	1,605	1,954	↓ 21,7%	
	Sealed area usage indicator [1.000 m²/Mio. m²] ****	0,0234	0,0301	0,0307	0,0303	↑ -1,4%	0,0300
	Scope 1 greenhouse gases (gas, LPG, diesel, refrigerants) in CO ₂ [t] *	3,257	2,774	2,214	2,611	↓ 17,9%	
	Scope 2 greenhouse gases (electricity) in CO ₂ [t] **	55	3,709	7,043	10,918	↑ 55,0%	
	Scope 3 greenhouse gases (Upstream) in CO ₂ [t] *** (****)	107,468	61,013	40,885	60,859	↓ 48,9%	
	Scope 3 greenhouse gases (Downstream) in CO ₂ [t] ***	5,428	3,817	3,435	3,527	↓ 2,7%	
	Printed products / reference value [mio. m ²]	2,559	1,967	1,605	1,954	↓ 21,7%	
	Greenhouse gas emissions indicator [kt/Mio. m²]	0,0454	0,0362	0,0334	0,0399	↓ 19,5%	0,0281



The trend arrow for changes on the previous year is automatically calculated for the relevant area (e.g. raw materials). The absolute changes and the minimum and maximum changes are divided into 5 clusters for this purpose.

This should make the changes easier to read. As a result, the changes are also split into data sets. There is no assessment or evaluation of the materials or core indicators.

However, the mathematical groupings, e.g. an arrow with the description "no change", mean that positive and negative values can also be found for these clusters.

* Data according to GEMIS 5.1 and GWP

** for green electricity ECOINVENT DATABASE, otherwise reported in accordance with §42 EnWG

*** up to and including FY 2021/2022 First Climate, from FY 2022/2023 ClimateCalc

**** FY 2023/2024 extrapolated to 12 months

***** new and included for the first time in FY 24/25, Scope 3.5 includes upstream waste emissions

The CO₂, CH₄, N₂O, halogenated fluorocarbon, PFC, NF₃ and SF₆ emissions required in the total annual greenhouse gas emissions in accordance the EMAS regulation, expressed in tonnes of CO₂ equivalent, are taken into consideration in the ecological balance sheets.

The emission values for all six greenhouse gases are verified or determined for this purpose. In addition to carbon dioxide (CO₂), which makes up more than 99.5% of the total, fluorocarbons (halogenated fluorocarbons) are converted into GWP via refrigeration systems. Sulphur hexafluoride (SF₆), for example, is present in very small quantities as an isolating gas in the switching units for transformers but is to be disregarded when considering greenhouse gas emissions.

Further, methane (CH₄; formed when organic materials are broken down under the exclusion of air) and laughing gas (nitrous oxide, N₂O; relevant to the use of fertilisers) are not formed.

The quantities arising from the combustion processes at the facilities in Meldorf and Preetz are listed under NO_x as NO₂ in these output balance sheets. Finally, nitrogen trifluoride (NF₃), e.g. in semiconductors or in the photovoltaics industry, is also irrelevant for the EversFrank.

INPUT

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY
Raw materials [t]	Web paper	75.894,1	57.489,4	44.735,3	51.898,6	↗ 16,0%
	Web / digital printing ink	1.931,7	1.676,1	1.376,2	1.897,3	↗ 37,9%
	Coating	33,9	30,8	13,2	12,7	↘ -3,6%
	Packaging and shipping materials	544,2	348,5	279,7	288,2	↗ 3,0%
	Raw materials total	78.403,9	59.544,8	46.404,5	54.096,8	↗ 16,6%
Operating materials [t]	Isopropyl	10,9	4,0	1,6	1,9	↗ 20,0%
	Fountain solution additive (fountain solution)	94,1	65,4	57,9	82,3	↗ 42,3%
	Rubber cloth / drum detergent	47,2	42,1	34,0	39,4	↗ 15,9%
	Printing plates	147,8	148,0	100,1	126,2	↗ 26,1%
	Developer solution	13,4	12,7	9,7	10,5	↗ 7,4%
	Binding adhesives	50,4	36,6	42,0	46,4	↗ 10,4%
	Fuel for company cars	23,6	15,3	12,5	8,6	↘ -31,5%
	Fuel for gas-powered fork-lifts	21,7	15,5	10,0	13,2	↗ 31,3%
	Operating materials total	409,0	339,4	267,8	328,5	↗ 22,6%
Auxiliary materials [t]	Silicone	43,9	29,9	27,2	31,1	↗ 14,1%
	Silicone concentrate	32,3	15,2	15,2	20,7	↗ 36,4%
	Back wire	14,4	13,1	5,6	10,5	↗ 87,5%
	Adhesives	62,6	55,4	45,4	58,0	↗ 27,8%
	Auxiliary materials total	153,1	113,6	93,4	120,3	↗ 28,8%
Energy [million kWh]	Electricity	19.670	16.103	13.019	16.093	↗ 23,6%
	Gas	13.727	11.647	9.516	10.586	↗ 11,2%
	Energy total	33,4	27,7	22,5	26,7	↗ 18,4%
Water [m³]	Fresh water	24.066	21.023	18.974	19.034	↗ 0,3%
	Water total	24.066	21.023	18.974	19.034	↗ 0,3%

OUTPUT

		BY 21/22	BY 22/23	BY 23/24 10 Month	BY 24/25	Diff. to LY
printed products / Ref. value [mio. m²]	Journals, magazines, inserts, catalogues	2.558,9	1.967,5	1.605,0	1.953,9	↗ 21,7%
Waste [t]	Total waste generated (reference value core indicator)	15.735,0	12.296,3	9.174,7	10.681,6	↗ 16,4%
Non-hazardous waste for processing [t]	Paper waste	14.478,2	11.353,6	8.396,5	9.731,6	↗ 15,9%
	Cardboard	678,2	507,3	379,2	361,3	↘ -4,7%
	Plastic packaging (film)	16,16	11,37	7,85	0,00	n.a.
	printing plates	139,01	130,43	102,35	125,37	↗ 22,5%
	Printing ink waste	3,39	1,24	2,75	0,00	n.a.
	wood	94,70	69,10	50,78	89,70	↗ 76,6%
	scrap metal	24,55	7,96	14,80	131,04	↗ 785,4%
	Electronic waste	0,00	0,49	0,76	3,37	↗ 342,3%
	Organic waste	8,79	5,42	9,93	1,96	↘ -80,3%
	Building rubble	0,29	0,00	0,00	3,91	n.a.
	Batteries and accumulators	0,00	0,24	0,00	0,12	n.a.
	Non-hazardous waste for processing	15.443,3	12.087,1	8.964,9	10.448,4	↗ 16,5%
Non-hazardous waste for removal [t]	Residual waste	149,7	94,0	100,0	118,8	↗ 18,8%
	Non-hazardous waste for removal	149,7	94,0	100,0	118,8	↗ 18,8%
Hazardous waste for processing [t]	Absorbent and filter materials and used oil mixtures	18,81	14,74	20,16	30,40	↗ 50,8%
	Fluorescent tubes	0,00	0,00	0,10	0,00	n.a.
	Solvent mixtures	7,11	11,46	0,00	0,72	n.a.
	Adhesive waste	0,00	0,00	0,00	0,00	↗ 0,0%
	Barrels, plastic canisters (packaging)	3,31	1,32	1,16	1,30	↗ 12,1%
	Barrels, metal canisters (packaging)	0,22	0,37	0,17	0,04	↘ -73,7%
	Hazardous waste for processing	29,5	27,9	21,6	32,5	↗ 50,4%
Hazardous waste for removal [t]	Aqueous washing liquids and mother liquors	92,60	71,26	79,34	65,18	↘ -17,8%
	Printing ink and varnish waste	1,96	4,24	0,00	5,65	n.a.
	Offset plate developer solutions	18,10	11,78	8,82	11,05	↗ 25,3%
	Hazardous waste for removal	112,7	87,3	88,2	81,9	↘ -7,1%
Waste water [m³]	Indirectly introduced (social and production waste water)	11.167	14.923	13.117	9.727	↘ -25,8%
	Waste water total	11.167	14.923	13.117	9.727	↘ -25,8%
Emissions [t]	Air pollutants (gas, LPG, diesel) in SO ₂ *	0,050	0,042	0,034	0,038	↗ 11,2%
	Air pollutants (gas, LPG, diesel) in NO _x **	5,905	4,036	3,845	4,743	↗ 23,4%
	Air pollutants (gas, LPG, diesel) in dust***	0,192	0,171	0,149	0,160	↗ 6,9%

* Data according to GEMIS 5.1

** Data according to GEMIS 5.1 and emission measurement

*** Data according to GEMIS 5.1 and manufacturer information



LONG-TERM ENVIRONMENTAL PERFORMANCE.

Presentation of the long-term development of environmental performance in accordance with the EMAS core indicators from recent years.

The following graphical representations of long-term environmental performance, which include the six EMAS core indicators, have been created based on the data and values from EversFrank's locations. The basis for this is the validated data from previous EMAS audits over the last few years.

To enable an accurate quantity-weighted statement regarding the locations in Meldorf and Preetz, the validated data from the entire annual input and output balances




and the resulting core indicators have been fully calculated accordingly. Since the calculation of the core indicators is statically based on the respective consumption and the output "printed products", relevant influencing factors, such as those in energy management DIN ISO 50001 (base loads, performance, order type, etc.), are not included.

The developments and changes are described and explained below for the core indicators. For comparison, the fiscal year 2013/2014 is used for all indicators. By switching to the appropriate reference size, the reference value "printed area" in m^2 , the core indicators for the fiscal year 2013/2014 were correspondingly adjusted and recalculated.

This provides a comprehensible reference value, as stipulated in REGULATION (EU) 2018/2026, Point C.2.d.), which reflects the annual overall activities of the organization well and accurately, as well as a proper description of the organization's environmental performance, considering the organization's specificities and activities.

A change in the financial year was made in FY 23/24 with 10 months of balance sheet data. This has been uniformly evaluated and calculated. The potential impact of the 10-month period (excluding the heating months of May and June) compared to a 12-month period is explained. FY 24/25 is again included as a standard 12-month period.





ENERGY

The comparison shows a slight **improvement in total energy in GWh/million m² of 0.2%** compared to the previous year for the EMAS indicator. In the long-term comparison as a basis with fiscal year 13/14, there is no change.

Looking back even longer, energy efficiency has improved. Through the merger with STIBO, there was a slightly improved order volume in the completed fiscal year 24/25, but overall both sites show a low level of production quantities.

The natural gas required for heating in the winter months with further unchanged production and hall areas has a negative effect. The significantly reduced output compared to previous years has a correspondingly negative effect on energy efficiency with largely the same periphery and site size.

The required base load is reduced as much as possible, and where possible, projects to increase energy efficiency in auxiliary systems and periphery are carried out. The two environmental objectives dryer replace-

ment at the Preetz site and dismantling as well as concentration on efficient machines at the Meldorf site will have a particularly positive effect on natural gas use and thus on the overall energy efficiency indicator in fiscal year 2025/2026.

MATERIAL

Paper waste has a major impact on the core material efficiency indicator. Both sites have achieved an improvement in the area of waste rates through new orders and changed formats. This has a positive effect on the overall material efficiency indicator. Compared to the previous year, there is an **improvement of 5.4%** on the reference value of the printed area.

In the long-term comparison as a basis 10 years ago with fiscal year 13/14, there

is a further very significant improvement of 17.2%. However, the order structure and machine park are not completely comparable here.

Smaller influencing factors such as ink use in material efficiency cannot be influenced; these are customer specifications. These higher ink coverages of the printed products can be seen from the balance sheets. In the pure waste indicator, the waste rate improvement becomes even clearer.

Regardless of this, we cannot fully influence it; customer and format requirements have an impact on material efficiency. However, customers are advised for optimized and optimal formats.

WATER




In the long term, the water core indicator has been improved by approximately 90%. From fiscal year 16/17 onwards, the final shutdown and the associated avoidance of well and groundwater extraction as well as the replacement of cooling tower technologies had an effect. Compared to the last fiscal year, there is a **significant improvement of 16.1%**. There are improvements at both sites. However, only a

limited comparison of water efficiency is possible. There are influences here from the warm summer months and the production quantities during this time.

Furthermore, there was a technical issue at the Preetz site with increased consumption in the previous year, which leads to a significant improvement in comparison to this fiscal year.

In the short term, after the longer efficiency increase, no further large potential and no lever for improving the indicator is in sight. Rather opposite effects such as climate change and the heat days bring the evaporative cooling towers to the performance limits, and slightly increased water consumption may result.





WASTE

The waste rate has a major impact on the waste efficiency core indicator. Here, as described in the material efficiency indicator, the issue of format utilization has an effect. The waste indicator in the unit kt on the reference value printed area has **improved by 6.8%**.

Paper waste accounts for over 90% of the clearly largest waste fraction.

A very small part of the waste volume is hazardous waste. These quantities fluctuate because these wastes are not disposed

of annually. Small amounts of waste are collected; sometimes a longer-term consideration is required.

Due to the environmental objective dryer replacement at the Preetz site, a corresponding amount of scrap metal resulted, as stated with 130 tons. As further stated as an environmental objective Meldorf, dismantling of a 16-page machine and concentration on large efficient machines, this has also led to corresponding waste quantities such as scrap metal. However, since these were only disposed of in May

2025, the quantities can be found in the next balance sheet fiscal year 25/26.

We pursue goals and continuous programs for all wastes for **waste avoidance, waste reduction, and waste separation**.

BIOLOGICAL DIVERSITY

The EMAS core indicator biological diversity **improved by 10.6%** compared to the previous year. Long-term, the factor compared to fiscal year 13/14 deteriorated by a factor of approximately 1.9.

From fiscal year 14/15 onwards, expansions with a paper warehouse each came for both sites for planned future quantity increases, which now have an effect with less output as a reference value.

As a change at the end of fiscal year 24/25, there is a reduction of the EMAS reference area for the Meldorf site. A small part of unused production area was rented out long-term to companies from the renewable energy industry.

There is a further direct 1:1 relationship to output, with the same property and largely the same hall and production areas and correspondingly less production.

At both sites, there are corresponding shares of unsealed areas that are designated as natural areas that are not just lawns.

EMISSIONS

For this indicator, a new also retrospective presentation was made. A complete, in addition to Scope 1, 2 and also more complete Scope 3 consideration with upstream and downstream was implemented (details in the input/output balance). Corresponding annual emission reports have been available for more than 10 years.

All changes and influences such as the entry into and exit from green electricity, the changed quantities the reference quantity in printed area in m² are included. All data from the input or output balance incl. losses with refrigerants with corresponding replacement in GWP CO₂ emissions are included. We use the emission data that

were determined according to the Greenhouse Gas Protocol by an external emission report. Here until fiscal year 21/22 by provider First Climate, from fiscal year 22/23 by the Danish company ClimateCalc. In comparison emissions in kt/CO₂ to million m² printed area, there is a **deterioration of 14.6% compared to the previous year**.

Long-term on the basis fiscal year 13/14, there is an improvement of over 25%. Two factors in fiscal year 24/25 are particularly responsible for this. The significant increase in CO₂ emissions in Scope 2 from electricity supply, where the emission data of the energy supplier increased correspondingly. Furthermore, in Scope 3.5 Upstream of the

waste category, the CO₂ emissions of the waste disposal company were included in the balance sheet for the first time. There are no previous year values, which leads to an increase in total CO₂ emissions. This change with Scope 3.5 data is marked with an asterisk in the balance sheet.

A very large proportion (approx. 80%) of the total emissions comes from the Scope 3 area and here it is particularly the substrate, the paper use. Changed paper profiles or cepi emission data of the printing papers used regularly have a correspondingly significant effect on the CO₂ emission values.

Approval basis / legal requirements

At the Meldorf (Evers-Druck GmbH) and Preetz (Frank Druck GmbH & Co. KG) sites, facilities requiring approval according to Annex 2 of the 4th BImSchV No. 5.1.1 E/G for surface treatment and the associated drying systems are operated using organic solvents.

The basis for approval includes, among other things, regular reporting in the form of:

- initial and periodic measurements for facilities requiring a permit according to §28 BImSchG,
- obligations of the operator to provide information according to §31 BImSchG,
- PRTR (Pollutant Emission Register) reports,
- a regulation on emission declarations according to 11. BImSchV and §3 SchadRegProtAG,
- a regulation on the limitation of emissions of volatile organic compounds from the use of organic solvents in certain installations pursuant to the 31st BImSchV,
- a regulation on evaporative cooling systems, cooling towers and wet separators according to 42. BImSchV,
- monitoring according to IED Directive 2010/75/EU

Current legal changes:

- EnEfG (Energy Efficiency Act)
- EUDR (EU Deforestation Regulation)

Under observation, but not applicable are:

- LkSG (Supply Chain Due Diligence Act)
- CSRD (EU directive on sustainability reporting)
- CSDDD (Europäische Lieferkettensrichtlinie).

We are not aware of any deviations for compliance with the basis of approval as well as legal regulations. Furthermore, the EversFrank (Evers & Evers GmbH & Co. KG) and all its companies are subject to the Energy Services and Other Energy Efficiency Measures Act (EDL-G). As an energy-intensive company, there is an obligation to carry out energy audits, which are implemented by the EversFrank with the certification of the energy management system according to DIN EN 50001. In addition, both sites have been EMAS registered for several years.

Statement from the environmental experts on their assessment and validation tasks

The signatory for the environmental consultancy organisation KPMG Cert GmbH, registration number DE-V-0328, Georg Hartmann, EMAS environmental expert with the registration number DE-V-0245, accredited or approved for the field 'Manufacturing printed products' (NACE code 18.1), 'Pre-print and pre-media' (NACE code 18.13), 'Binding printed products and associated services' (NACE code 18.14.0), 'Repairing machines' (NACE code 33.12), 'Haulage' (NACE code 59.29.1) and 'Managing and leading companies and businesses' (NACE code 70.1), confirms that he has investigated whether the site or the entire organisation Evers & Evers GmbH & Co. KG, with sites in Meldorf and Preetz with the registration number DE-124-00013, meets all the requirements of Regulation (EC) No. 1221/2009 of the European Parliament and of the Council of 25 November 2009 on the voluntary participation by organisations in a Community eco-management and audit scheme (EMAS) in conjunction with Regulation (EU) No. 2017/1505 and Regulation (EU) No. 2018/2026.

The signature on this declaration confirms that:

- The assessment and validation were carried out in full compliance with the requirements of Regulation (EC) No. 1221/2009 in conjunction with Regulation (EU) No. 2017/1505 and Regulation (EU) No. 2018/2026
- The result of the assessment and validation confirms that there is no evidence of non-compliance with the valid environmental regulations
- The data and information in the environmental statement of Evers & Evers GmbH & Co., with sites in Meldorf and Preetz, gives a reliable, credible and truthful picture of all activities performed by Evers & Evers GmbH & Co., with sites in Meldorf and Preetz, within the fields indicated in the environmental statement

This statement does not equate to an EMAS registration. The EMAS registration can only be carried out by a competent office in accordance with Regulation (EC) No. 1221/2009 in conjunction with Regulation (EU) No. 2017/1505 and Regulation (EU) No. 2018/2026.

This statement may not be used as an independent basis for informing the public.

Meldorf, Köln, 2025


Georg Hartmann
25.09.2025

Georg Hartmann
KPMG Cert GmbH
environmental verifier organisation
Luise-Straus-Ernst-Straße 2
50679 Köln



IMPRINT

Printed on quality paper Circle Offset Premium White by IGEPA. This paper offers high recycling whiteness and maximum sustainability at the same time.

For the remaining unavoidable CO₂ emissions, a climate protection contribution was made by Evers ReForest through the initial reforestation of mixed deciduous forests in Schleswig-Holstein.



Concept and implementation:

EversFrank
Evers & Evers GmbH & Co. KG
Ernst-Günter-Albers-Straße 13
25704 Meldorf

Photos:

Pixabay, Unsplash, Pexels,
EversFrank employees

Overall production:

EversFrank
Evers & Evers GmbH & Co. KG
www.eversfrank.com

Gender note

For reasons of readability, no gender-neutral differentiation is made. Corresponding terms generally apply to all genders.





EversFrank

Evers & Evers GmbH & Co. KG | Ernst-Günter-Albers-Straße 13 | 25704 Meldorf

Tel. +49 4832 608-0 | Fax +49 4832 608-300 | info@eversfrank.com

www.eversfrank.com | © 2025 Evers & Evers GmbH & Co. KG